
### 5.0 Settings 設定

[Overview] Consists of five pages: "User", "Add & Analysis Log", "Tag manager", "The rule creation setting", and "Version Information".

#### Settings



#### **O**User

Users can be added, deleted, licensed, and set privileges.

#### **2**Add & Analysis Log

Status of document upload and analysis can be checked.

#### **3**Tag manager

**Knowledge Tags, Comment Tags, and Remark Tags can be set.** 

#### **4**The rule creation setting

Settings used during Rule construction can be set.


#### **OVersion Information**

Version information can be checked.

### 5.1 Settings / User ユーザー一覧

# (Overview) This page lists Users registered. \*List of Users can be exported to an Excel format.

#### User



#### **Display Settings Area**

#### • Purchased license

The quantity of purchased license is shown.

#### **Q**Used License

The quantity of used license is shown.

#### **3**Search by Username

Search for a specific User using the usernames.

#### **4**Add Users

+ Add users

Add new Users.

#### **6**Export Export

Export User list.

#### **6** License Ownership Status License Ownership Status

Check the amount of license bought and their expiration dates.

#### **User Display Area**

#### **©**Email Invitation

Resend invitation emails to registered Users.

#### **Output Output Ou**

marks SOLIZE members where licenses are not necessary. \*\*Removal of SOLIZE members from this page is not possible.

# 5.1 Settings / User (Add Users) ユーザー一覧(権限)

# Privileges can be changed depending on the User's role. Users has three privileges (System Administrator, Content Manager, RFQ Reader) to be turned ON or OFF.

Function	Description	CRUD	User Privileges			
Function			System Administrator	Content Manager	RFQ Reader	
	User	Create, Edit, Delete	0	×	×	
		Read	0	0	0	
	Privileges	Create, Edit, Delete	0	×	×	
		Read	0	0	0	
	License	Create, Edit, Delete	0	×	X	
		Read	0	0	0	
Manage	Project Folder	Create, Edit, Delete	O (*if assigned)	×	×	
System		Read	O (*if assigned, if set as Public)	0	O (*if assigned)	
	Project	Create, Edit, Delete	O (*if assigned)	×	×	
		Read	O (*if assigned, if set as Public)	0	O (*if assigned, if set as Public)	
	Tag (Other than Knowledge Tag)	Create, Edit, Delete	0	×	×	
		Read	0	0	0	
	Other Settings *Ex: Rule Settings	Create, Edit, Delete	0	×	×	
		Read	0	0	0	
	Topic Structure (Categories and Topics)	Create, Edit, Delete	×	0	×	
		Read	0	0	0	
	Rule Set	Create、Edit、Delete	×	0	×	
		Read	0	0	0	
Manage	Rule	Create, Edit, Delete	×	0	×	
Contents		Read	0	0	0	
	Knowledge	Create、Edit、Delete	×	0	×	
		Read	0	0	0	
	Tag (Only Knowledge Tag)	Create, Edit, Delete	×	0	×	
		Read	0	0	0	

# **Explanation of User Privileges**

- 1 System Administrator
  Manages settings in SpectA and creates Projects.
- 2 Content Manager

  Manages contents (Topics,
  Knowledges, Rules) in SpectA.
- **3 RFQ Reader**Performs reading task in SpectA

# 5.1 Settings / User (Add Users) ユーザー一覧(権限)

Privileges can be changed depending on the User's role.
Users has three privileges (System Administrator, Content Manager, RFQ Reader) to be turned ON or OFF.

Function	Description	CRUD	User Privileges			
FullCuon		CROD	System Administrator	Content Manager	RFQ Reader	
	Project	Create、Edit、Delete	O (*if assigned)	O (*if assigned)		
		Read	O (*if assigned, if set as Public)	0	O (*if assigned, if set as Public)	
	Project Folder	Create、Edit、Delete	O (*if assigned)	×	×	
		Read	O (*if assigned, if set as Public)	0	O (*if assigned, if set as Public)	
	Document	Create、Edit、Delete	O (*if assigned)	×	×	
Manage Projects		Read	O (*if assigned)	×	O (*if assigned)	
	Clip	Create, Edit, Delete	×	O (only edit & delete)	O (*if assigned)	
		Read	×	0	O (*if assigned)	
	Comments & Remarks	Create、Edit、Delete	×	O (only edit & delete)	O (*if assigned)	
		Read	×	0	O (*if assigned)	

# **Explanation of User Privileges**

- **1** System Administrator Manages settings in SpectA and creates Projects.
- 2 Content Manager


  Manages contents (Topics,
  Knowledges, Rules) in SpectA.
- **3 RFQ Reader**Performs reading task in SpectA

# 5.1 Settings / User (Add Users) ユーザー一覧 (新規登録)

#### User (Add Users) ユーザー追加

Users can be added, deleted, licensed, and set privilege.

User



#### Features & Step-by-Step Guide «Add User»

- O Click "Add users"
- 2 Enter username and e-mail address
- **3** Additional fields for adding Users 10 Users can be added at once.
- **4 Check "Grant License"** \*\*if necessary. Check the number of remaining license and give out license(s) accordingly.
- Select privilege

  Refer to the previous page for the description of roles and privileges.
- 6 Click "Save"

  An invitation e-mail will be sent to the registered User(s).

#### «Check User Information»

- O Click "Export"


  Export User information.
- 3 Click "License Ownership Status"

  Check the amount of license bought and their expiration dates.

### 5.1 Settings / User (Edit・Delete) ユーザー一覧(変更・削除)

User (Edit・Delete) ユーザー編集・削除 Users can be added, deleted, licensed, and set privilege. Invitation email can be sent again to registered Users.

#### User



#### Features & Step-by-Step Guide

**1** Grant and take away license

License can be granted or taken away by checking or removing the check mark in the checkbox.

2 Resend invitation mail

An invitation e-mail can be sent again.

Edit

Usernames and privileges can be changed.

Delete

Users can be deleted.


Please be aware that once deleted, it cannot be undone.

- \*Deleted users will also be removed from Project members.
- \*SOLIZE users (marked with ♠ in User Category) cannot be delete.

### 5.2 Settings / Add & Analysis Log ドキュメント追加分析ログ

# (Overview) Check the status of added and analyzed Documents. \*Log can be exported as well.

#### Add & Analysis Log



#### **List Area**

Show the status of added and analyzed documents based on the filtering criteria set in the display settings.

#### **Display Settings Area**

#### **1** Existing/Deleted

Filtering by the status of the documents.

\*Default is set to 'Existing'.

#### 2 Add/Analysis

Filter by the actions applied to the documents.

#### **3** Progress Status

Filter by document status. \*Multiple can be set at once.

#### 4 Project

Filter by project. \*Multiple can be set at once.

#### **6** Document

Filter by documents names. \*Multiple can be set at once.

#### **6** Request Time From / To

Filter by specifying date and time.

\*By default, the range is 0:00:00 to 23:59:59 (JST) of the current day.

#### Updated by

Filter by the last person who has updated document.

\*Multiple can be set at once.

#### Objection of the second of

Select which rows to be display in the list.

#### **9** Export

Export

Export the listed documents to an Excel format.


\*Exports the displayed information at that moment

### 5.3 Settings / Tag manager タグ管理

# Tag manager タグ管理

Set up Knowledge Tags, Comment Tags, Remarks Tags and Document Tags for efficient organization of Knowledge, Comments and Documents.

#### Tag manager



# Features & Step-by-Step Guide • Select tag type

Knowledge Tag : Tag to classify knowledge

ex: Past Trouble, Company Standard

Deviation Comment Tags : Tag to categorize comments

addressed to customers.

ex: Cost, Non-standard

Remark Tag : Tag to classify remarks

ex: Confirm Item, Memo

Document Tag : Tag to manage the status of the

document

ex: Reading in progress, reading completed

#### «Add tag»

2 Add tag

Add new tags.

[Status]

When selecting tags, you can choose to show or hide them; Valid: show the tag, Invalid: hide the tag.

#### «Edit & Delete»

**8** Edit tag

Change tag name, background color and status.

**4** Delete tag


Delete tags if there not in use.

### 5.4 Settings / The rule creation setting ルール構築設定

The rule creation setting ルール構築設定

Set how words are should be recognized from the source text when creating Rules (for Japanese and English). \*The setting will not affect the result of AI analysis before the change.

#### The rule creation setting



#### Features & Step-by-Step Guide

**1** Switch Languages

Japanese Eng

Select the language for which you would like to set.

#### 2 Settings for Word Processing

\*Set how words should be recognized from the source text when creating Rules.

#### Stop Words

Set words to be excluded from Rule creation.

Upload the file in an Excel format.

#### 4 Thesaurus

Register set of words that should be treated as synonyms so that when constructing Rules, they will be constructed in "OR conditions". Upload the file in an Excel format.

#### **6** Select Part of Speech

Specify the parts of speech to be extracted to be included in the Rule.

#### **6** Set Number of Words

Set the number of words to be extracted for the Rule.

#### Set Margin

Set the range of the influence of the word's value in terms of the number of characters when a word in the Rule is detected.

#### Section Titles

\*Set section titles as source for creating Rule (to be implemented).

#### **O** Prevent Noise Detection

\*Set whether a word consist of 3 characters or less should have an exact match during AI analysis..

# 5.4 Settings / The rule creation setting ルール構築設定


	The factor of cattern country of the particular of the factor of the fac					Default Setting	
ID	Settings	Explanation	Example of Processing Result	Selection Criteria	Japanese	English	
1	Separate numbers and characters.	Insert a space between numbers and non- numbers.	10points $\rightarrow$ 10 points ISO11111 $\rightarrow$ ISO 11111	Recommended: (OFF) In case of deleting standards names such as "ISO11111"	(OFF)	(OFF)	
2	Separate symbol characters.	Insert a space between symbols and non-symbols. Thickness[] $\rightarrow$ Thickness[] $\rightarrow$ Recommended: $\checkmark$		Recommended: ✓	✓	✓	
3	Remove double-byte characters.	Replace full-width characters with a space.	$SPEC \rightarrow X$	Recommended: Japanese: (OFF), English: ✓	(OFF)	✓	
4	Remove numbers.	Remove words that consist only of numbers.	$1 \rightarrow \times$	Recommended: ✓	✓	<b>√</b>	
5	Remove text with numbers.	Remove words that include numbers.	10points → $\times$	Recommended: (OFF) In case of deleting standards names such as "ISO11111"	(OFF)	(OFF)	
6	Remove one character (including double-byte characters).	Remove one-character words.	A book → book	Recommended: Japanese: (OFF) English: ✓ In case of deleting single full-width characters, for example units like ‰[m] or ※[A]	(OFF)	✓	
7	Remove one character (excluding double-byte characters).	Remove single-byte characters.	a book $ ightarrow$ book	Recommended: Japanese: ✓ English: (OFF) In case of deleting single-byte characters, for example (a), (b), etc. in Japanese	✓	(OFF)	
8	Remove symbols.	Remove symbols.	\$ →×	Recommended: ✓ In case of deleting symbols like units or []	✓	✓	
9	Remove text with symbols.	Remove characters that contain symbols.	10\$ → ×	Recommended: (OFF) In case of deleting words containing symbols like units or []	(OFF)	(OFF)	
10	Stemming (porter)	Stem English words (Perform stemming).	sses $\rightarrow$ ss (caresses $\rightarrow$ caress) ies $\rightarrow$ i (ponies $\rightarrow$ poni)	Recommended: (OFF) If there is no need to stem English words.	(OFF)	(OFF)	
11	Change to headword (WordNet)	Stem English words (Perform stemming).  X Convert to "headword" registered in WordNet.	valves→ valve	Recommended: Japanese: (OFF) English: ✓	(OFF)	✓	
12	Change to singular form (inflection)	Stem English words (Perform stemming).  X Process to singularize using 'inflection' library.	$cats \rightarrow cat$	Recommended: (OFF)	(OFF)	(OFF)	
13	Change to singular form (inflector)	Stem English words (Perform stemming).  X Process to singularize using 'inflection' library.	$cats \rightarrow cat$	Recommended: (OFF)	(OFF)	(OFF)	
14	Change to lower case.	Convert to lowercase.	Book → book	Recommended: (OFF)	(OFF)	(OFF)	
15	Change to lower case (excluding acronyms).	Convert everything except acronyms (≒abbreviations) to lowercase.	WHO $\rightarrow$ WHO(no change).  Book $\rightarrow$ book	Recommended: ✓	✓	✓	
16	Stem Japanese words	Stem words (remove the inflected part).	走ろう → 走 ※Only Japanese	Recommended: Japanese: √, English: (OFF)	✓	(OFF)	
17	Disable weighting of duplicate words	Disable weighting of duplicate words.Do not consider word frequency (Turn IDF mode ON).	_	Recommended: (OFF)  (As most documents are primarily natural language) In case of bullet points / tables (mainly short sentences): ✓	(OFF)	(OFF)	
18	Adjust margin automatically	Automatically extend the margin when the text for rule construction is long.	_	Recommended: ✓	✓	✓	
19	Detect words with different notation as same word	Absorb fluctuations in full-width/half-width/uppercase/lowercase characters.	(オイル オイル) ("pH" "ph")	Recommended: <b>√</b>	✓	✓	

# 5.5 Settings / Version Information バージョン情報

[Overview] View the current system version information of the product.

\*Please share this information with SOLIZE when reporting any issues.

#### Version Information



# **O**System Version Information

Shows the system version that is currently being used.

# Contact Us At お問い合わせ



specta-support@solize.com

Were you able to find the answer? 回答が見つかりましたか?





